

Soils Map





State: Iowa County: **Kossuth** 18-98N-30W Location: Township: Seneca

Acres: 71.23 1/20/2020 Date:







Soils data provided by USDA and NRCS.

| Area Symbol: IA109, Soil Area Version: 26 | | | | | | | | |
|---|---|-------|------------|--------|---------------|--------|------|----------|
| Code | Soil Description | Acres | Percent of | CSR2 | Non-Irr Class | CSR2** | CSR | |
| | | | field | Legend | *c | | | Soybeans |
| 507 | Canisteo clay loam, 0 to 2 percent slopes | 32.50 | 45.6% | | llw | 84 | 75 | 79 |
| 55 | Nicollet clay loam, 1 to 3 percent slopes | 16.07 | 22.6% | | lw | 89 | 85 | 78 |
| 6 | Okoboji silty clay loam, 0 to 1 percent slopes | 7.28 | 10.2% | | IIIw | 59 | 54 | 77 |
| 138B | Clarion loam, 2 to 6 percent slopes | 5.38 | 7.6% | | lle | 89 | 77 | 83 |
| 638B | Clarion-Swanlake complex, 2 to 6 percent slopes | 2.93 | 4.1% | | lle | 85 | 71 | 82 |
| 107 | Webster clay loam, 0 to 2 percent slopes | 1.91 | 2.7% | | llw | 86 | 80 | 80 |
| 138C2 | Clarion loam, 6 to 10 percent slopes, moderately eroded | 1.51 | 2.1% | | IIIe | 83 | 62 | 65 |
| 348 | Fieldon loam, 0 to 2 percent slopes | 1.42 | 2.0% | | llw | 54 | 68 | 51 |
| 95 | Harps clay loam, 0 to 2 percent slopes | 0.90 | 1.3% | | llw | 72 | 60 | 77 |
| 138D2 | Clarion loam, 9 to 14 percent slopes, moderately eroded | 0.78 | 1.1% | | IIIe | 51 | 52 | 56 |
| 559 | Talcot clay loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes | 0.42 | 0.6% | | llw | 54 | 68 | 51 |
| 485B | Spillville loam, 2 to 5 percent slopes | 0.13 | 0.2% | | lle | 88 | 77 | 82 |
| Weighted Average | | | | | | 81.7 | 74.3 | *n 77.7 |

^{**}IA has updated the CSR values for each county to CSR2.

^{*}n: The aggregation method is "Weighted Average using major components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.