

Soils Map





State: lowa
County: Webster
Location: 27-86N-27W

Township: Dayton
Acres: 73.39
Date: 5/7/2020







Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	CSR2**	CSR	Spring wheat	Oats	*n NCCPI Soybeans
636	Buckney fine sandy loam, 0 to 2 percent slopes, rarely flooded	13.96	19.0%		IIIs	42	52			35
566C	Moingona loam, 5 to 9 percent slopes	13.15	17.9%		IIIe	86	73			78
583	Minnetonka silty clay loam, 0 to 2 percent slopes	9.46	12.9%		llw	85	67			63
568D	Cokato loam, 9 to 14 percent slopes	6.83	9.3%		IIIe	60	52			72
2700C	Ridgeton loam, 5 to 9 percent slopes	6.05	8.2%		IVe	84	62			77
836B	Kilkenny clay loam, 2 to 6 percent slopes	5.25	7.2%		lle	69	67		4	64
485B	Spillville loam, 2 to 5 percent slopes	4.98	6.8%		lle	88	82			82
2700D	Ridgeton loam, 9 to 14 percent slopes	4.91	6.7%		IVe	63	52			72
27B	Terril loam, 2 to 6 percent slopes	4.46	6.1%		lle	87	82			81
855	Shorewood silty clay loam, 1 to 3 percent slopes	2.31	3.1%		llw	75	77			70
315B	Udifluvents, loamy, 2 to 5 percent slopes, occasionally flooded	1.17	1.6%		Vw	5	5			0
715	Fluvaquents, loamy, 0 to 2 percent slopes, frequently flooded	0.61	0.8%		Vw	5	5			0
383	Marna silty clay loam, 0 to 2 percent slopes	0.18	0.2%		llw	69	73			70
1836B	Kilkenny-Shorewood complex, 2 to 5 percent slopes	0.07	0.1%		lle	71	68			68
Weighted Average							63.2	*-	0.3	*n 64.1

^{**}IA has updated the CSR values for each county to CSR2.

^{*}n: The aggregation method is "Weighted Average using major components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.