

Soils Map





State: Iowa County: Grundy Location: 1-88N-17W

Township: Colfax 199.71 Acres: 8/1/2022 Date:







Soils data provided by USDA and NRCS.

Area !	Symbol: IA075,	Soil Area	Version:	27												
Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non- Irr Class *c	*i Corn Bu	*i Soybeans Bu	CSR2**	CSR	Alfalfa hay Tons	Bromegrass alfalfa AUM	Bromegrass alfalfa hay Tons	Canarygrass hay Tons	Corn Bu	Corn silage Tons	Ken blue AUI
377B	Dinsdale silty clay loam, 2 to 5 percent slopes	108.62	54.4%		lle	232.0	67.3	94	90							
11B	Colo-Ely complex, 0 to 5 percent slopes	50.69	25.4%		llw	80.0	23.2	86								
184B	Klinger silty clay loam, 2 to 5 percent slopes	15.64	7.8%		lle	232.0	67.3	95	90							
119	Muscatine silty clay loam, 0 to 2 percent slopes	7.74	3.9%		lw	240.0	69.6	100	100							
88	Nevin silty clay loam, 0 to 2 percent slopes	6.71	3.4%		lw	227.2	65.9	95	95							
119B	Muscatine silty clay loam, 2 to 5 percent slopes	6.60	3.3%		lle	232.0	67.3	95	95							
84	Clyde silty clay loam, 0 to 3 percent slopes	3.00	1.5%		llw	224.0	65.0	88	76	4.4	7	4.2	3	3 193.5	18	
7	Wiota silt loam, 0 to 2 percent slopes	0.45	0.2%		I	233.6	67.7	100	95							



Weighted Average				1.93	193.4	56.1	92.3	*-	0.1	0.1	0.1	*-	2.9	0.3		
198B	Floyd loam, 1 to 4 percent slopes	0.07	0.0%		llw	222.4	64.5	89	80							
933	Sawmill silty clay loam, shallow loess, 0 to 2 percent slopes, occasionally flooded	0.19	0.1%		llw	204.8	59.4	78	80							

^{**}IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.